



WORKBOOK



STRAIGHT WALKRAMPS

Randall Access Walkramps are a highly engineered, advanced, ultra-durable, nothing-left-on-the-table line of safety walkramps.



// SIDE BRACKETS

Stress points are taken care of with our longer arm and multiple fasteners. The apron and side brackets don't dance around strength, control, and performance – they stand and deliver.



// TOE PLATE

Larger, multi-directional surface for greater control with ergonomic handles.

// PANELS

Never flip your walkramp again. Panels are constructed from the strongest Aluminum alloys available and are extruded to prevent cracking and wear.



// MATERIALS

Extruded
6061 T6 Aluminum
Grade 8, Cadmium-coated hardware



// SIDE RAIL

Taller, guiding, beveled to grab onto the handtruck tires.



// WALK SURFACE

Randall's signature aggressive, all-weather Walk Surface is continuous from apron to toe plate.



// WALK SURFACE



// LONG THROW LIFT ASSIST



// OPTIONAL ENCLOSURE

Randall Access offers two enclosure styles – open and closed.



// SHORT THROW LIFT ASSIST

Only Randall Access's Lift Assist combines dual gas shocks and compression springs that ease the ramp up and down. Only Randall Access carries two Lift Assist options – Short and Long – to accommodate variances between the enclosure box and trailer floor that are less or greater than 11".

// SPECIFICATIONS

Nominal Ramp Length	Ramp Width	Usable Width	Ramp Height	Recommended Deck Height	Approximate Weight	Load Capacity*
16'	24 3/8"	26 1/4"	4 5/8"	56"-66"	125 lbs.	1000 lbs.
14'	24 3/8"	26 1/4"	4 5/8"	46"-55"	112 lbs.	1000 lbs.
12'	24 3/8"	26 1/4"	4 5/8"	40"-45"	94 lbs.	1000 lbs.
10'	24 3/8"	26 1/4"	4 5/8"	31"-39"	78 lbs.	1000 lbs.
8'	24 3/8"	26 1/4"	4 5/8"	26"-30"	63 lbs.	1000 lbs.

* Testing of ramps was conducted between 15 and 20 degrees. Load tests were conducted with a 500 lbs. load and 225 lbs. driver.

FOLDING WALKRAMPS

The Randall Folding Walkramp is anything but your standard folding ramp. Our folding walkramp is stronger, easier on your legs, and keeps all 10 digits safe from pinches and snaps.




// OPEN LEG DESIGN

With the removal of the bar across the ramp's legs, Randall's Open Leg Design provides drivers greater control and stability.

// MATERIALS

Extruded
6061 T6 Aluminum
Grade 8, Cadmium-coated hardware



// TOE PLATE

Larger, multi-directional surface for greater control with ergonomic handles.



// SIDE RAIL

Taller, guiding, beveled to grab onto the handtruck tires.



// WALK SURFACE

Randall's signature aggressive, all-weather Walk Surface is extruded to prevent cracking. No flipping – it's engineered to provide 2x the durability and wear.



Deflector Plate

// RECESSED LATCH & DEFLECTOR PLATE

Randall's Recessed Latch eliminates accidental disengagement of the legs.

Randall's Deflector Plate makes moving the ramp in and out of the enclosure easier and safer.



// OPTIONAL FINGER GUARDS

Finger Guards allow drivers to grab ramp legs without fear of being pinched.



// WALK SURFACE


// DEPLOYED SPECIFICATIONS

Nominal Ramp Length	Usable Width	Ramp Width	Ramp Height	Useable Side Rail	Recommended Deck Height	Approximate Weight	Load Capacity
14'	24 ³ / ₈ "	25 ⁷ / ₈ "	4 ⁵ / ₈ "	2 ¹ / ₁₆ "	47"-56"	154 lbs.	1000 lbs.*

* Testing of ramps was conducted between 15 and 20 degrees. Load tests were conducted with a 500 lbs. load and 225 lbs. driver.

// OPTIONAL ENCLOSURE SPECIFICATIONS

Enclosure Length	Width & Height Enclosure Body	Width & Height at Door	Approximate Weight
8'	31" x 10 ¹ / ₂ "	32" x 12 ¹ / ₂ "	196 lbs.



LOW-PROFILE WALKRAMPS

MARKET-READY 2015



STEPS

Powder-coated high visibility orange, Randall Steps have the highest weight capacity in the industry and a robust, gripping tread that add up to – not your ordinary step.



// TWO STYLES

Available as a Monorail or Trolley style.



// WALK SURFACE

Randall Access's signature Walk Surface – extruded never casted. Gripping to hold on and not let you down.



// HANDLES

Integrated handles in the toe plate help ease the ramp in and out of the frame.



// OPTIONS

Optional Short or Long Throw Lift Assists and Toe Plate Side Handles.

// MATERIALS

Extruded
6061 T6 Aluminum
Grade 8, Cadmium-coated hardware



// BRACKET

Easily and securely hooks into place.



// WALK SURFACE

Robust, gripping tread.



// NO SLIPPING

Higher side rail provides secure foot placement.



// SECURE

500 lb. weight capacity

// VISIBILITY

High-visibility orange, three-step coating prevents rust.



// STOWS EASILY

Quickly slides under trailer.



// OPTIONS

Optional chain and safety latch.

// SPECIFICATIONS

# OF STEPS	WIDTH		LENGTH		HEIGHT		WEIGHT	
2	19 1/4"	14 1/2"	20"	32 1/2"	13 1/2"	22 3/4"	5 1/2"	32 lbs.

ELEVATED PLATFORM

The World's Fastest Middle Door Platform – deploys in 15 seconds or less, stows in 10 seconds. The Elevated Platform brings more safety, efficiency, and flexibility to side or middle door delivery.



// ELEVATES

Platform elevates to floor level without a transition plate – providing the drivers full use of the 48" x 52" platform.

// SPECIFICATIONS

MATERIAL	PLATFORM DIMENSIONS	WEIGHT	WEIGHT CAPACITY
Aluminum	48" x 52"	300 lbs	1,000 lbs

Area required to install platform with enclosure: 54" x 102"



// SPEED

Deploys in less than 15 seconds, stows in less than 10 seconds.



// WALK SURFACE

Expansive 48" x 52" surface.



// ENCLOSURE

Elevated Platform protected within fully closed enclosure box. Mounts beneath the middle door—does not cut into the trailer floor.

// VERSATILITY

Randall Ramps can be secured in the parallel or perpendicular positions.

FDP PLATFORMS


Load Em Up. Load Em Out. Randall Access's line of Floor Deployed Platforms (FDP) provides drivers with platforms at both side doors that stand up to the heaviest loads – add a ramp or a ladder and now you're talking full on strength and confidence.

MARKET-READY 2015



// FDP 3123

Large surface with integrated ladder. Randall Access signature walk surface on the platform and steps. Slides in and out of the tunnel with ease.



// FDP 3535




// MATERIALS

Extruded


6061 T6 Aluminum

Grade 8, Cadmium-coated hardware

Versatility at its best – this all-purpose, large platform can be used with ladder or walkramp in parallel or perpendicular positions. Safety rail included.



// FDP 34.5



Ramp-ready, 1,000 lb. weight capacity workforce for the front or middle-door.

RANDALL ACCESS ROAD TOUR

Showcasing the new line of Randall Access products – walkramps, steps and platforms. We're on the road pulling into OEMs, Dealers, and talking to the guys who count on top-notch equipment to push to quittin' time every day.





FULL ON

STRENGTH // PERFORMANCE // CONTROL

Since day one of the creation of Randall Access products, our intention has been to engineer a line of access products that makes your lives better. By better we mean safer, more productive, more confident. In fact, if our products don't pass the in-the-field drivers' test, we go back to the drawing board and make them better. For you, the work athletes, who battle more than your average workday of risks, you can count on us to keep you safe, confident, and ready to fight another day.

Now, let's get out there and win this race.

#AccessConfidence



RANDALLACCESS.COM

800-323-7424

Randall Access is a product line of Randall Manufacturing. Patent Pending.

722 Church Rd, Elmhurst, IL 60126